


V-SERIES™ Standard & Leading-Edge SRLs

MSA
The Safety Company

Distributed by
Bullivants



V-TEC® Standard SRL

V-EDGE® Leading-Edge SRL

WE KNOW WHAT'S AT STAKE.

V-TEC® Standard SRLs

With premium components and innovative engineering, the V-TEC Standard SRL offers controlled cable retraction—preventing excessive lifeline retraction speed and protecting internal parts from damage.




Easy Inspection

Clear outer housing.



Easy Transportation

Carry handle included.



Assured Safety

Spiral radial energy-absorbing technology requires zero calibration or adjustment.



Downtime Minimized

Completely field-serviceable, the cable, energy-absorber, and retraction dampener can all be replaced on site.



Versatile

Galvanized or stainless steel cable.




Durable

Retraction dampening features control the cable speed to 3 m/s (<10 ft./s).




Built to Last

Stainless steel/engineered plastics.



V-EDGE® Leading-Edge SRLs

Specifically engineered and tested for use at foot-level tie off, the V-EDGE SRL meets EN 360: 2002 & VG11 sheet 60 Leading-Edge requirements.



Simplify Selection

Use in a variety of applications, from overhead to horizontal tie off points, and where exposed edges are a concern.



Get to Work Faster

Clear outer casing allows for quick visual inspection of internal components




Lower Cost of Ownership

Integrated roll cage protects housing when used in foot-level tie off. Retraction dampening feature controls the life line speed—preventing unwanted damage and maximizing product life.



Reduce Downtime

Internal components like the cable and energy absorber can be replaced on site—reducing repair times.



V-TEC Standard SRLs

Part Number	Description
63206-00AEU	V-TEC Standard Cable SRL, 6 m (20 ft.), galvanized cable
63306-00AEU	V-TEC Standard Cable SRL, 6 m (20 ft.), stainless steel cable
63306-00BEU	V-TEC SRL 6m (20 ft.), SS Cable, SS TAK
63210-00AEU	V-TEC Standard Cable SRL, 10 m (30 ft.), galvanized cable
63310-00AEU	V-TEC Standard Cable SRL, 10 m (30 ft.), stainless steel cable
63310-00BEU	V-TEC SRL 10m (30 ft.), SS Cable, SS TAK
63215-00AEU	V-TEC Standard Cable SRL, 15 m (50 ft.), galvanized cable
63315-00AEU	V-TEC Standard Cable SRL, 15 m (50 ft.), stainless steel cable
63315-00BEU	V-TEC SRL 15m (50 ft.), SS Cable, SS TAK
63230-00AEU	V-TEC Standard Cable SRL, 30 m (100 ft.), galvanized cable
63330-00AEU	V-TEC Standard Cable SRL, 30 m (100 ft.), stainless steel cable
63330-00BEU	V-TEC SRL 30m (100 ft.), SS Cable, Triple Lock (EU)

V-EDGE Leading-Edge SRLs

Part Number	Description
63406-00AEU	V-EDGE Leading-Edge SRL, 6 m (20 ft), galvanized cable
63410-00AEU	V-EDGE Leading-Edge SRL, 10 m (30 ft), galvanized cable
63415-00AEU	V-EDGE Leading-Edge SRL, 15 m (50 ft), galvanized cable

MSA Australia Pty Ltd
 11 Columbia Way
 Northwest Business Park
 Baulkham Hills NSW 2153
 PO Box 7325
 Phone : 61 2 9688 0333
 Customer Service : 1300 728 672
 Fax : (02) 9896 1835
 E-mail: aus.customerservice@MSAsafety.com

Note: This Bulletin contains only a general description of the products shown. While product uses and performance capabilities are generally described, the products shall not, under any circumstances, be used by untrained or unqualified individuals. The products shall not be used until the product instructions/user manual, which contains detailed information concerning the proper use and care of the products, including any warnings or cautions, have been thoroughly read and understood. Specifications are subject to change without prior notice.

Distributed by **Bullivants**
1300 LIFTING info@bullivants.com